

# BEHAVIORAL HEALTH CONDITIONS IN AVOIDABLE HOSPITAL USE AND COST

Pre-release Briefing Webinar October 18, 2014

Sujoy Chakravarty, Ph.D.
Joel C. Cantor, Sc.D.
Jamie Walkup, Ph.D.
Jian Tong, M.S.

Presented by Rutgers Center for State Health Policy

#### **Acknowledgements**

Generously supported by The Nicholson Foundation



Gratefully acknowledge the assistance of ...

Ping Shi of the NJ Dept. of Health, Center for Health Statistics and Daisuke Goto of Rutgers CSHP for assistance in data linkage. Additional support from CSHP colleagues Derek DeLia, Jose Nova, Kristen Lloyd, Oliver Lontok and Dorothy Gaboda

#### **Motivating issues**

- Our previous research identified substantial cost saving opportunities from reducing high hospital use
- Such avoidable and frequent hospitalizations may arise from barriers to ambulatory care, inadequate care coordination and presence of behavioral health conditions
- Effective management of behavioral health conditions and integration of behavioral and physical healthcare may be critical to reducing avoidable hospitalizations and costs

#### Study questions & data

- To what extent are behavioral health (BH) conditions associated with:
  - Preventable hospitalizations and costs?
  - Inpatient and ED high use and costs?
- Data from NJ Discharge Data Collection System and Charity Care Claims, 2008-2011
- Focus on 13 low income regions in New Jersey

#### 13 Low-Income NJ Areas

Camden

**Greater Newark\*** 

Trenton\*\*

**Asbury Park-Neptune** 

Atlantic City-Pleasantville

Elizabeth-Linden

Jersey City-Bayonne

New Brunswick-Franklin

Paterson-Passaic-Clifton


Perth Amboy-Hopelawn

Plainfield, North Plainfield

Union City-W. NY- Guttenberg-N. Bergen

Vineland-Millville


Center for State Health Policy



<sup>\*</sup>Newark zip codes (07102,07103,07104, 07105, 07106, 07107,07108, 07112, & 07114)
East Orange zip codes (07017,07018)
Irvington zip code (07111)
Orange zip code (07050)


<sup>\* \*</sup>Trenton zip codes (08608, 08609, 08611, 08618, 08629, & 08638)

Behavioral Health Problems by Preventable Inpatient (IP) Hospitalizations 13 Low-Income NJ Areas, 2008-2011




# Medicaid Beneficiary Behavioral Health Problems by Preventable IP Hospitalization Status


13 Low-Income NJ Areas, 2008-2011




# Behavioral Health Problems by Inpatient High User Status 13 Low-Income NJ Areas, 2008-2011




Medicaid Beneficiary Behavioral Health Problems by Inpatient High User Status 13 Low-Income NJ Areas, 2008-2011




# Behavioral Health Problems by ED High User Status 13 Low-Income NJ Areas, 2008-2011



#### Annual Inpatient Cost Associated with Behavioral Health Problems



## Annual Inpatient Cost Related to Behavioral Health Problems 13 Low-Income NJ Areas and All NJ



Percentages reflect BH-related costs as a percent of total IP costs

#### **Conclusions:** Behavioral Health and Avoidable Use and Cost

- Higher prevalence of BH conditions among <u>avoidable hospitalizations</u>
  - Differences are higher for Medicaid beneficiaries for both preventable hospitalizations, and also hospitalizations by high users
- Substantially higher prevalence of BH conditions among <u>high users</u>
  - Overall three out of four inpatient high users are diagnosed with BH conditions
  - 44% of Medicaid inpatient high users have a serious mental illness
- BH-related costs comprise a substantial proportion of total IP costs across regions and payers
  - In the 13 low-come regions, annual BH-related costs amount to \$880 m, 34.8% of overall IP costs
  - Statewide, BH-related costs amount to \$3.5 b, 36.4% of overall IP costs
- Findings underscore the importance of current NJ policy initiatives including the Medicaid ACOs, Medicaid Managed Behavioral Health Organization, Behavioral Health Homes.
- Special focus may be needed for the Medicaid expansion population which is also likely to have significant behavioral health involvement along with housing and other social challenges.

### **DISCUSSION**

#### **Methods Appendix**

- New Jersey All-Payer Uniform Billing Hospital Discharge data
  - Public use discharge-level data and patient-level linked data prepared by the NJ Dept. of Health
  - Patient demographics, clinical information, patient residence, hospital charge amounts and hospital information
- Avoidable Hospitalizations and Emergency Department (ED) Visits
  - Population-based rates of ambulatory-care sensitive/preventable inpatient and ED visits
- High Users of Hospital Resources
  - 'High user' of inpatient care equal to 4 or more inpatient stays (96<sup>th</sup> percentile of statewide distribution) 2008-2011
  - 'High user' of ED care equal to 6 or more visits over 2008-2010 (94<sup>th</sup> percentile of statewide distribution) 2008-2011
- Cost estimates based on discharge-based charges
  - Charge data deflated by cost-to-charge ratios, annualized for 2008-11, and adjusted to 2011 dollars using the Consumer Price Index for medical care